


RETICOLO

Meaning network in Italian, Reticolo translates the intricacy of fiber arts to the medium of natural stone. Its surface displays an organic interplay of pattern, sculpted through CNC precision and softened by a brushed finish. This two-layer design captures the individual character of each stone, pairing a lacy, velvety-smooth overlay with a richly textured background—granular Belgian Bluestone, earthy Grey Foussana, and rugged Sabbia. Available in 12" x 24" x 3/8" decorative tile, each coordinating with honed tiles in the same limestone varieties.



RETICOLO



Belgian Bluestone
Decorative Textured Limestone Tile
12" x 24" x 3/8"

APPLICATIONS									VARIATION		TAILORED TO CUSTOMIZATION	
INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND	V1 V2 V3 V4	CARPET CUTTING		
No	All	Yes, including steam ¹	No	No	No	No	No	Yes		FIELD		
										FINISH		
										MOSAIC		
										SADDLE		
										VANITY TOP		
										WATERJET		
INSTALLATION/MAINTENANCE											AVAILABLE SIZES	
SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	FLEXIBLE SEALANT	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE	12" x 24" x 3/8" Decorative Limestone Tile Textured Finish	
Ardex X77 White Microtec Fiber Reinforced Mortar ²	Ardex FG-C Microtec Unsanded ³	1/16" minimum	Ardex 8 + 9	Ardex SX Silicone Sealant	Fila MP90 Eco Plus	AquaMix Concentrated Cleaner	TCNA Handbook	Maintain Tile Orientation	Required			
NOTES												
¹Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods ²Alternate setting material - Ardex X5 White Medium Bed Mortar or Ardex 100% Solids Epoxy Adhesive White ³Alternate grout - Ardex DG 1 – One Component Grout or Ardex FL Rapid Set Sanded												
Tech Note: Pattern is asymmetrical. Maintain orientation of pieces for continuity of pattern. Dry laying of this product prior to installation is required. Straight, stacked joint. Inherent voids may be present in the stone that will not be filled during production. This is intended to be part of the natural aesthetic of this product. White mortar is recommended for natural stone. This natural stone tile has been pretreated at the factory with Fila MA96. This product should be carefully bag grouted. Seal and utilize a grout release prior to grouting.												


RETICOLO



Grey Foussana
Decorative Textured Limestone Tile
12" x 24" x 3/8"

APPLICATIONS									VARIATION		TAILORED TO CUSTOMIZATION
INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND	V1 V2 V3 V4		
No	All	Conventional Only ¹	No	No	No	No	No	Yes			
INSTALLATION/MAINTENANCE											AVAILABLE SIZES
SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	FLEXIBLE SEALANT	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE	
Ardex N ²³ White Microtec Rapid Set ²	Ardex FG-C Microtec Unsanded ³	1/16" minimum	Ardex 8 + 9	Ardex SX Silicone Sealant	Fila MP90 Eco Plus	AquaMix Concentrated Cleaner	TCNA Handbook	Maintain Tile Orientation	Required		12" x 24" x 3/8" Decorative Limestone Tile Textured Finish
NOTES											
¹Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods ²Alternate setting material - Mapei Granirapid White 2-part System or Ardex 100% Solids Epoxy Adhesive White ³Alternate grout - Ardex DG 1 – One Component Grout or Ardex FL Rapid Set Sanded Tech Note: Pattern is asymmetrical. Maintain orientation of pieces for continuity of pattern. Dry laying of this product prior to installation is required. Straight, stacked joint. Inherent voids may be present in the stone that will not be filled during production. This is intended to be part of the natural aesthetic of this product. Install with Ardex N23 Microtec White, Mapei Granirapid White 2-Part System, or Ardex 100% Solids Epoxy Adhesive White. White mortar is recommended for natural stone. This natural stone tile has been pretreated at the factory with Fila MA96. This product should be carefully bag grouted. Seal and utilize a grout release prior to grouting.											

RETICOLO



Sabbia
Decorative Textured Limestone Tile
12" x 24" x 3/8"

APPLICATIONS									VARIATION		TAILORED TO CUSTOMIZATION		
INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND	V1	V2		V3	V4
No	All	Yes, including steam ¹	No	No	No	No	No	Yes					
INSTALLATION/MAINTENANCE											AVAILABLE SIZES		
SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	FLEXIBLE SEALANT	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE			
Ardex N ²³ White Microtec Rapid Set ²	Ardex FG-C Microtec Unsanded ³	1/16" minimum	Ardex 8 + 9	Ardex SX Silicone Sealant	Fila MP90 Eco Plus	AquaMix Concentrated Cleaner	TCNA Handbook	Maintain Tile Orientation	Required				
NOTES													
¹ Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods													
² Alternate setting material - Mapei Granirapid White 2-part System or Ardex 100% Solids Epoxy Adhesive White													
³ Alternate grout - Ardex DG 1 – One Component Grout or Ardex FL Rapid Set Sanded													
Tech Note: Pattern is asymmetrical. Maintain orientation of pieces for continuity of pattern. Dry laying of this product prior to installation is required. Straight, stacked joint. Inherent voids may be present in the stone that will not be filled during production. This is intended to be part of the natural aesthetic of this product. Install with Ardex N23 Microtec White, Mapei Granirapid White 2-Part System, or Ardex 100% Solids Epoxy Adhesive White. White mortar is recommended for natural stone. This natural stone tile has been pretreated at the factory with Fila MA96. This product should be carefully bag grouted. Seal and utilize a grout release prior to grouting.													