

# SAIL

---

Sail weaves triangles of varying sizes into a dynamic geometric composition, evoking the nautical imagery of sails catching the wind. The mosaic's distinctive pattern celebrates the natural beauty of luxurious stone varieties in two distinct colorways. Sail Cream includes Calacatta Gold, Vanilla Onyx, Bianco Antico, Tundra Grey, Calacatta Rosa, Moca, Bianco Carrara, and White Sand—all in a honed finish. Sail Fete Multi features polished stones, including Arabescato D'Oro, Silver Wave Marble, and mixed stones.




PICTURED: SAIL CREAM

# SAIL



*Fete - Polished Arabescato Background with Silver Wave and Mixed Bright Stones*



| APPLICATIONS             |               |                                   |              |                |               |                |             |                    |              |
|--------------------------|---------------|-----------------------------------|--------------|----------------|---------------|----------------|-------------|--------------------|--------------|
| INTERIOR FLOOR           | INTERIOR WALL | SHOWER WALL                       | SHOWER FLOOR | EXTERIOR FLOOR | EXTERIOR WALL | POOL/ FOUNTAIN | COUNTER TOP | FIREPLACE SURROUND | QR CODE LINK |
| Commercial Light/ Medium | All           | Yes, including steam <sup>1</sup> | No           | No             | No            | No             | Yes         | Yes                |              |


| INSTALLATION/MAINTENANCE                  |                                           |                          |             |                       |                              |                                           |                           |                       |                       |
|-------------------------------------------|-------------------------------------------|--------------------------|-------------|-----------------------|------------------------------|-------------------------------------------|---------------------------|-----------------------|-----------------------|
| SETTING MATERIAL                          | GROUT                                     | GROUT JOINT              | MEMBRANE    | FLEXIBLE SEALANT      | SEALER                       | CLEANER                                   | INSTALLATION INSTRUCTIONS | LAYOUT                | DRY LAYOUT            |
| Ardex N23 Microtec Rapid Set <sup>2</sup> | Ardex FG-C Microtec Unsanded <sup>3</sup> | As established on sheets | Ardex 8 + 9 | Ardex SX <sup>4</sup> | AquaMix Sealer's Choice Gold | AquaMix Concentrated Stone & Tile Cleaner | TCNA Handbook             | Broken Joint Required | Required <sup>4</sup> |

| NOTES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |  |  |  |  |  |  |  |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|
| <p><sup>1</sup> Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods</p> <p><sup>2</sup> Alternate mortar - Mapei Granirapid White 2-Part system or Ardex 100% Solids Epoxy Adhesive White. White mortar is recommended for natural stone</p> <p><sup>3</sup> Alternate grout - Ardex DG 1 – One Component Grout or Mapei Flexcolor CQ</p> <p><sup>4</sup> Dry laying of this product prior to installation is required. Brick position each sheet for best color placement</p> <p>Tech Notes: Individual sheets of this mosaic are not square. Sheets are irregular and combine into a seamless interlocking pattern. Pattern is directional, maintain sheet orientation. Massage joints when blending individual sheets. Fractures in delicate features are inherent. Subject to visible scratching.</p> |  |  |  |  |  |  |  |  |  |


| VARIATION |    |    |    |  |  |  |  |  |  |
|-----------|----|----|----|--|--|--|--|--|--|
| V1        | V2 | V3 | V4 |  |  |  |  |  |  |
|           |    |    |    |  |  |  |  |  |  |

| MOSAIC                                                                                       |  |  |  |  |  |  |  |  |  |
|----------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|
|                                                                                              |  |  |  |  |  |  |  |  |  |
| 6 5/8" x 31 3/16" X 3/8" (1.43 sf/unit)<br>Interlocking Sheet, Sold In A 2 Part A And B Unit |  |  |  |  |  |  |  |  |  |

# SAIL



*Cream - Honed Calacatta Gold Background with Vanilla Onyx, Bianco Antico, Tundra Grey, Calacatta Rosa, Moca, Bianco Carrara, and White Sand*



| APPLICATIONS             |               |                                |              |                |               |                |             |                    |              |
|--------------------------|---------------|--------------------------------|--------------|----------------|---------------|----------------|-------------|--------------------|--------------|
| INTERIOR FLOOR           | INTERIOR WALL | SHOWER WALL                    | SHOWER FLOOR | EXTERIOR FLOOR | EXTERIOR WALL | POOL/ FOUNTAIN | COUNTER TOP | FIREPLACE SURROUND | QR CODE LINK |
| Commercial Light/ Medium | All           | Conventional Only <sup>1</sup> | No           | No             | No            | No             | Yes         | Yes                |              |

| INSTALLATION/MAINTENANCE                  |                                           |                          |             |                       |                              |                                           |                           |                       |                       |
|-------------------------------------------|-------------------------------------------|--------------------------|-------------|-----------------------|------------------------------|-------------------------------------------|---------------------------|-----------------------|-----------------------|
| SETTING MATERIAL                          | GROUT                                     | GROUT JOINT              | MEMBRANE    | FLEXIBLE SEALANT      | SEALER                       | CLEANER                                   | INSTALLATION INSTRUCTIONS | LAYOUT                | DRY LAYOUT            |
| Ardex N23 Microtec Rapid Set <sup>2</sup> | Ardex FG-C Microtec Unsanded <sup>3</sup> | As established on sheets | Ardex 8 + 9 | Ardex SX <sup>4</sup> | AquaMix Sealer's Choice Gold | AquaMix Concentrated Stone & Tile Cleaner | TCNA Handbook             | Broken Joint Required | Required <sup>4</sup> |

| NOTES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |  |  |  |  |  |  |  |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|
| <p><sup>1</sup> Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods</p> <p><sup>2</sup> Alternate mortar - Mapei Granirapid White 2-Part system or Ardex 100% Solids Epoxy Adhesive White. White mortar is recommended for natural stone</p> <p><sup>3</sup> Alternate grout - Ardex DG 1 – One Component Grout or Mapei Flexcolor CQ</p> <p><sup>4</sup> Dry laying of this product prior to installation is required. Brick position each sheet for best color placement</p> <p>Tech Notes: Individual sheets of this mosaic are not square. Sheets are irregular and combine into a seamless interlocking pattern. Pattern is directional, maintain sheet orientation. Massage joints when blending individual sheets. Fractures in delicate features are inherent. Subject to visible scratching.</p> |  |  |  |  |  |  |  |  |  |

| VARIATION |    |    |    |  |  |  |  |  |  |
|-----------|----|----|----|--|--|--|--|--|--|
| V1        | V2 | V3 | V4 |  |  |  |  |  |  |
|           |    |    |    |  |  |  |  |  |  |

| MOSAIC                                                                                       |  |  |  |  |  |  |  |  |  |
|----------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|
|                                                                                              |  |  |  |  |  |  |  |  |  |
| 6 5/8" x 31 3/16" X 3/8" (1.43 sf/unit)<br>Interlocking Sheet, Sold In A 2 Part A And B Unit |  |  |  |  |  |  |  |  |  |